XL-002-S-4 LED DOWLIGHT	Catalog #	Prepa	red by	LiteHarbor
	Project	Date		
	Notes			



Pressable Trimmed Miniature Multiple LED Recessed Downlight with 4 Heads

Description

This Product is the lighting embodiment of miniature, recessed LED solutions for residential and hospitality venues and boutique Available in a lot of shapes, frames, colours and accessories, as astraight or a symmetri cal spot, or as general lighting, and it's combines choice with exclusive design and high-quality lighting technology.

Features

- The choice combines exclusive design with high quality lighting technology.
- A lot of shapes, frames and colours, providing more options for you.
- Available in 1,2, 3, 4 lamps.
- Beam Angle: 30/60/90 Degrees.
- Life Rated for 50,000 hours at 70% lumen maintenance.

- Easy installation.

Listing / Warranty

ETL listed to US and Canadian standards for damp location W/Feed through.

5 Year Limited Warranty.



Liteharbor Lighting Technology Co., Ltd. New Industry Area Hecun Danzao Town Nanhai Foshan City Guangdong China

TEL: +86-757-8180 8687 FAX: +86-757-8180 8685 E-mail: info@liteharbor.com Website: www.liteharbor.com Specifications subject to change w/o notice Revision: Jul. 2019


Applications


Suitable for jewelry stores, boutiques, luxury goods stores, shopping malls and other places that require concentrated lighting and accent lighting.

Parameter

Voltage	AC 120V	
Frequency	60 Hz	
Watt	6W/lamp	
Driver	Liteharbor	
Dimmable	Non-dimming	
Lumen	480-600lm	
Light Source	COB	
CRI	90+	
Beam Angle	30D/60D/90D	
ССТ	2700K-5000K	
Material	Aluminum	
Finish	White/Black/Brown	

Dimensions







Liteharbor Lighting Technology Co., Ltd. New Industry Area Hecun Danzao Town Nanhai Foshan City Guangdong China TEL: +86-757-8180 8687 FAX: +86-757-8180 8685 E-mail: info@liteharbor.com Website: www.liteharbor.com Specifications subject to change w/o notice Revision: Jul. 2019 Litebarb

Ordering Guide

Series/Lumen	Input Voltage	CCT/CRI	Finish
□ XL-002-S-4	□ 120V	□ 3000K/90+	□ White
LED Downlight		□ 4000K/90+	□ Black
		□ 5000K/90+	□ Brown

*Other special requirements please confirm with our factory

Liebu



Liteharbor Lighting Technology Co., Ltd. New Industry Area Hecun Danzao Town Nanhai Foshan City Guangdong China TEL: +86-757-8180 8687 FAX: +86-757-8180 8685 E-mail: info@liteharbor.com Website: www.liteharbor.com Specifications subject to change w/o notice Revision: Jul. 2019