

AL8-VA-FM LED PENDANT DOWNLIGHT

Catalog #		Prepared by	LiteHarbor
Project		Date	
Notes			



LED PENDANT DOWNLIGHT

8 Inch Cylinders LED Pendant Downlight

Description

The architectural LED cylinder with specification grade reflector available in 4", 6" and 8" apertures. With a built-in reflector for superior optics and an appealing cylindrical profile and is perfect for the commercial or residential applications.

Features

- High performance exterior rated LED downlights.
- All aluminum construction, powder coat painted in white, black or silver finish for harsh, weatherproof applications.
- 120V AC Direct technology in 9W, 13W, 17W, 21W, 26W or 37W dimmable modules with integrated circuit.
- Easy installation and ultra energy efficient.

Specifications

Material: Die cast aluminum

Input Voltage: AC 120~277V 50/60Hz

Wattage: 9/13/17/21/26/37W



Liteharbor Lighting Technology Co., Ltd.

New Industry Area Hecun Danzao Town
Nanhai Foshan City Guangdong China

TEL: +86-757-8180 8687

FAX: +86-757-8180 8685

E-mail: info@liteharbor.com

Website: www.liteharbor.com

Specifications subject to change w/o notice

Revision: Jul. 2019

CCT: 2700-4000K
Lumen: 810/1170/1530/1890/2340/3330LM
PF: >0.98
CRI: 80+/90+
Luminous efficiency: 90lm /W
Shape: Cylinders


Mounting

Pendant mounted.

Listing / Warranty

ETL listed to US and Canadian standards for damp location W/Feed through.
5 Year Limited Warranty.

Dimensions



LED PENDANT DOWNLIGHT



Liteharbor Lighting Technology Co., Ltd.
New Industry Area Hecun Danzao Town
Nanhai Foshan City Guangdong China

TEL: +86-757-8180 8687
FAX: +86-757-8180 8685
E-mail: info@liteharbor.com

Website: www.liteharbor.com
Specifications subject to change w/o notice
Revision: Jul. 2019

Odering Guide

Series	Input Voltage	Wattage	CCT
<input type="checkbox"/> AL8-VA-FM	<input type="checkbox"/> 120V	<input type="checkbox"/> 9W	<input type="checkbox"/> 2700K
8" Cylinder LED	<input type="checkbox"/> 277V	<input type="checkbox"/> 13W	<input type="checkbox"/> 3000K
Pendant Downlight	<input type="checkbox"/> 120-277V	<input type="checkbox"/> 17W	<input type="checkbox"/> 4000K
		<input type="checkbox"/> 21W	
		<input type="checkbox"/> 26W	
		<input type="checkbox"/> 37W	

Finish

- White
- Black
- Red
- Blue

*Other Special Requirements Please Contact with us.



Liteharbor Lighting Technology Co., Ltd.

New Industry Area Hecun Danzao Town
Nanhai Foshan City Guangdong China

TEL: +86-757-8180 8687

FAX: +86-757-8180 8685

E-mail: info@liteharbor.com

Website: www.liteharbor.com

Specifications subject to change w/o notice

Revision: Jul. 2019