

# LED Bollard Light

Catalog #		Prepared by	
Project		Date	
Notes			



## Description

This modern minimalist LED bollard light features a sleek square column as its main body, with a high-quality matte dark brown metal finish. Combined with a hollowed-out light cavity and built-in LED light source, it emits uniform and soft diffused light when lit, balancing functional lighting and spatial decoration.

## Features

- \* Metal construction, durable outdoor-grade material.
- \* Utilizes high-brightness, energy-efficient LED beads, offering high luminous efficacy and low power consumption.
- \* High quality outdoor-grade LED driver, no flickering.
- \* With an IP65 waterproof and dustproof rating.
- \* Easy installation and maintain.

## Applications

Ideal for modern residential yards, luxury gardens, villa walkways, and commercial landscape belts.

## Specifications

Model No.	DG5702
Type	LED Bollard Light
Dimensions	L7.87"xW7.87"xH236.22" (L20cmxW20cmxH600cm)
Height Options	150cm, 200cm, 250cm, 300cm, 350cm, 400cm, 450cm, 500cm, 550cm, 600cm
Input Voltage	120V/120V-277V
Dimming	Triac/0-10V Dimming
Wattage	60W
Color Temp.	2700K/3000K/3500K/4000K/5000K
Lumen Output	80lm/w
Beam Angle	45°
CRI	90+
Mount	Flange-Base Floor Mounting
Finish	Black, White, Silver, Bronze
Location	Suitable for Wet Locations
LED Lifetime	L70 30,000 Hours
Operating Temp.	-20°C~40°C (-4°F~104°F)
Certification	cETLus
Warranty	3 Years

LED BOLLARD LIGHT

\*Other special requirements please contact with our sales.



**Liteharbor Lighting Technology Co., Ltd.**  
No. 3 Fengtai Road, Danzao Town  
Nanhai Foshan, Guangdong China

TEL: +86-757-8180 8675  
FAX: +86-757-8180 8685  
E-mail: info@liteharbor.com

Website: www.liteharbor.com  
Specifications subject to change w/o notice  
Revision: Mar. 2025



## Dimension Option Details

Model No.	Dimensions
DG5702-150	L 7.87" x W 7.87" x H 59.05" (L 20cm x W 20cm x H 150cm)
DG5702-200	L 7.87" x W 7.87" x H 78.74" (L 20cm x W 20cm x H 200cm)
DG5702-250	L 7.87" x W 7.87" x H 98.43" (L 20cm x W 20cm x H 250cm)
DG5702-300	L 7.87" x W 7.87" x H 118.11" (L 20cm x W 20cm x H 300cm)
DG5702-350	L 7.87" x W 7.87" x H 137.80" (L 20cm x W 20cm x H 350cm)
DG5702-400	L 7.87" x W 7.87" x H 157.48" (L 20cm x W 20cm x H 400cm)
DG5702-450	L 7.87" x W 7.87" x H 177.17" (L 20cm x W 20cm x H 450cm)
DG5702-500	L 7.87" x W 7.87" x H 196.85" (L 20cm x W 20cm x H 500cm)
DG5702-550	L 7.87" x W 7.87" x H 216.54" (L 20cm x W 20cm x H 550cm)
DG5702-600	L 7.87" x W 7.87" x H 236.22" (L 20cm x W 20cm x H 600cm)



\*Other special requirements please contact with our sales.



**Liteharbor Lighting Technology Co., Ltd.**  
No. 3 Fengtai Road, Danzao Town  
Nanhai Foshan, Guangdong China

TEL: +86-757-8180 8675  
FAX: +86-757-8180 8685  
E-mail: info@liteharbor.com

Website: www.liteharbor.com  
Specifications subject to change w/o notice  
Revision: Mar. 2025

